

INDEX MAPS.

T. 8 N. R. 8 E. 2nd Mer.

	73		73		72		72		72		71	
75	6	95	5	91	4	88	3	84	2	81	1	71
	95		95		91		87		84		81	
75	7	94	8	90	9	87	10	83	11	80	12	71
	96		94		90		86		83		80	
74	18	94	17	90	16	86	15	83	14	80	13	70
	96		93		90		86		82		79	
74	19	93	20	89	21	85	22	82	23	79	24	70
	96		73		89		85		82	77	77	
74	30	92	29	88	28	85	27	81	26	76	25	69
	77		92		88	84	85	78	78		76	
74	31	91	32	88	33	78	34	77	35	76	36	69
	69		68	79	68		67		67		67	

T. 9 N. R. 8 E. 2nd Mer.

	105		104		104		104		103		103	
107	6	127	5	121	4	118	3	114	2	110	1	103
	126		126		121		117		114		110	
106	7	126	8	121	9	117	10	113	11	110	12	102
	125		125		120		117		113		109	
106	18	125	17	120	16	116	15	113	14	109	13	102
	124		124		120		116		112		109	
106	19	124	20	119	21	116	22	112	23	108	24	101
	123		123		119		115		112		108	
105	30	123	29	119	28	115	27	111	26	108	25	101
	122		122		118		115		111		107	
105	31	122	32	118	33	114	34	111	35	107	36	100
	100		100		99		99		99		99	

(P The figures on the lines refer to the page.

Township N. 8 North, Range N. 8 E. 2. Mer Ind.^a 67
ch. l. m.

South Boundary

Nest (or S 89 1/2 W.) On S. boundary of Sec. 36

- 6.12 a Beech 44 mi. dist.
18.75 a do. 18 " "
40.00 Let gr. Sec. post, from which
a Poplar 60 mi. dist. bear S 23 E 25 l. m. dist. of
a Beech 16 " " " N 14 W 14 " "
46.10 a Brook 15 l. m. wide Course N 85 W.
50.20 a Spring rises 100 l. m. S. of the line runs N.
51.50 a do. do. S. of the line " N.
54.00 a Creek 50 l. m. wide Course S. W.
75.00 Same Creek runs with the line 350 l. m. then leaves -
[a little S. of the line]
80.00 Let post Cor. to Sec. 35 & 36, from which
a Beech 20 mi. dist. bear West 13 l. m. dist. of
a do 24 " " " N 14 E 25 " "
Land waving, timber Beech, Oak, Sugar,
Ash, Poplar &c.

Nest On S. boundary of Sec. 35

- 5.50 Same Creek (above) line runs with it 500 l. m.
then leaves it) S. W.
40.00 Let gr. Sec. post, from which
a Beech 6 mi. dist. bear N 49 W 25 l. m. dist. of
a do 6 " " " N 44 E 20 " "
42.95 a do 18 " "
46.00 a Creek 120 l. m. wide Course S.
56.66 a B. Hum 36 mi. dist.
74.50 a Brook 4 l. m. wide Course S.
75.34 a Beech 32 mi. dist.
80.00 Let post Cor. to Sec. 34 & 35, from which
a Sugar 13 mi. dist. bear S 56 W 10 l. m. dist. of
a do. 13 " " " S 76 E 19 " "
Land waving timber Beech, Sugar, Oak
Ash &c.

Nest On S. boundary of Sec. 34

T8 N R8 E. 2nd Mer. Indianach. 1st 1/2 mi5.00 a Brook 6th wide Course S.7.30 a Beech 24th diam.12.25 a Creek 120th wide Cr. N60W, Same (we crossed)26.00 Same Creek line runs down it touch the
North bank as it passes 12.50th mi. Comes out
on the South side where it runs N80W40.00 At 1st Sec. post, from which
a B. Oak 17th mi. diam. bears N72W 23th mi. dist. of
a Sugar 8 " " " N63E 18 " "

42.50 a Beech 30 " "

51.50 Same Creek runs S. good stream for mill

67.17 a Beech 20th mi. diam.73.25 a Brook 6th wide Course S. E80.00 At post Cor. to Sec. 33 of 34, from which
a B. Walnut 30th mi. diam. bears N15E 18th mi. dist. of
a Beech 7 " " " S50E 20th mi. dist.
Land waving, timber Beech, Oak, Poplar, Ash

Met On S. boundary of Sec. 33

31.50 a Brook 6th wide Course S. W.40.00 At 1st Sec. post, from which
a Beech 6th mi. diam. bears N41E 31th mi. dist. of
a Do. 6 " " " S31W 19 " "47.50 a Brook 10th wide Course with the line

54.25 leave it running N. W.

60.70 a Brook 30th wide Course S. W.80.00 At post Cor. to Sec. 32 of 33, from which
a Sugar 13th mi. diam. bears N28E 34th mi. dist. of
a Beech 5 " " " S57W 11 " "
Land waving, timber Beech, Sugar, Oak, Ash &c.

Met On S. boundary of Sec. 32

12.67 Intersected Boundary line, At post, from which
a Beech 32th mi. diam. bears N66E 22th mi. dist. of
a Do. 5 " " " S35W 7 " "
Land waving, timber Beech, Sugar, Oak, Ash &c.

T8N R8E, 2.nd Mer. Indiana 69
Ch. Lth

November 11th 1876, John Brownson, D. S.
40.69 Set q. Sec. post, from which
a Beech 30 m. dist. bray N66E32 lth. dist. of
a Sugar 12 " " " S32W25 " "
43.69 at Branch 8 lth. wide Course S.
80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 30 m. dist. bray N58W40 lth. dist. of
a do. 6 " " " S69E7 " "
Broken land good soil, timber Beech, Poplar &c

Met On S. boundary of Sec. 31
40.00 Set q. Sec. post, from which
a Beech 20 m. dist. bray N62W25 lth. dist. of
a do. 12 " " " S67E24 " "
75.25 Intersected Town Corner, from which
a Sugar 14 m. dist. bray N51W21 lth. dist. of
a Beech 21 " " " S71E44 " "
June 6th 1879 John McDonald, D. S.

East Boundary. var. 5°30'E.
North On E. boundary of Sec. 36, T8N, R8E.
0.96 a Beech 40 m. dist.
28.65 a do. 13 " "
35.00 a Creek 50 lth. wide Course N.
40.00 Set q. Sec. post, from which
a Sugar 40 m. dist. bray N25E24 lth. dist. of
a Beech 5 " " " S35W13 " "
65.53 a Maple 18 " "
80.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 15 m. dist. bray N82E18 lth. dist. of
a do. 10 " " " S50W25 " "
Land flat, timber Beech, Maple, Gum, Oak &c.

North On E. boundary of Sec. 25
3.80 a Poplar 38 m. dist.
13.60 a Beech 16 " "

S. & R. & E. 2nd Mer Indiana

- ch. 1/2
40.00 Let q^r. Sec. post, from which
a Beech 24 m. dist. bran N 85 E 15 l^{ts}. dist. of
a do. 11 " " " N 77 W 11 " "
On S. bank of a brook 25 l^{ts}. wide C. P. N. W.
60.75 a Brook 20 l^{ts}. wide Corner N. W.
71.82 a Beech 30 m. dist.
80.00 Let post Co. to Sec. 24 & 25, from which
a Beech 9 m. dist. bran N 87 E 7 l^{ts}. dist. of
a do. 24 " " " N 59 W 39 " "
Land waving, good timber Beech, Sugar,
Oak, Poplar &c.

North On E. boundary of Sec. 24

- 10.50 a Brook 6 l^{ts}. wide Corner N. 50 l^{ts}. where it
falls into a creek 120 l^{ts}. wide a short bend
40.00 Let q^r. Sec. post, from which
a Beech 7 m. dist. bran S 89 E 37 l^{ts}. dist. of
a do. 15 " " " S 89 W 34 " "
59.37 Intersected Boundary line, let post, from which
a Beech 9 m. dist. bran S 67 W 9 l^{ts}. dist. of
a do. 8 " " " S 77 E 19 " "
Land waving good, timber Beech, Sugar, Oak
Ash &c. November 10th 1876.

John Brownson, L. S.

Continued from the Boundary line

- 18.63 Let post Co. to Sec. 13 & 24, from which
a Beech 20 m. dist. bran N 66 E 28 l^{ts}. dist. of
a do. 10 " " " S 30 W 6 " "
(Note. The above distance in the Column
should be 20.63 instead of 18.63, therefore it wants
two chains of being a mile. S. M.)

North On East Boundary of Sec. 13

- 6.00 a Creek 120 l^{ts}. wide Corner S. W.
19.65 a Branch 12 l^{ts}. " " S. E
40.00 Let q^r. Sec. post, from which

71

T8 N - R8 E. 2^d Mer. Indiana

ch. 1st 1/2

a Beech 9 mi. dia. - bran S 88 W 23 lbr. dist. 7
 a do. 6 " " " N 75 E 5 " "
 80.00 Set post Cor. to Sec. 12 & 13, from which
 a Beech 14 mi. dia. - bran N 65 E 24 lbr. dist. 9
 a Hickory 9 " " " S 52 W 38 " "
 Land with timber Ash, Elm &c.

North On E. boundary Sec. 12

18.00 Intersected fallen timber & Brush
 40.00 Set q. Sec. post, from which
 a Run 4 mi. dia. - bran N 35 E 24 lbr. dist. 5
 a do. 6 " " " S 25 E 12 " "
 49.00 Intersected timber bearing S. W. & N. E.
 80.00 Set post Cor. to Sec. 11 & 12, from which
 a Beech 12 mi. dia. - bran S 5 W 15 lbr. dist. 9
 a do. 18 " " " N 35 E 31 " "
 Low Brushy land

North On E. boundary of Sec. 1

19.85 a Creek 50 lbr. wide Comes S. W.
 40.00 Set q. Sec. post, from which
 a Beech 9 mi. dia. - bran S 58 E 7 lbr. dist. 9
 a do. 7 " " " S 61 W 13 " "
 47.55 a Brook 4 lbr. wide Comes S. W.
 52.70 a Branch 15 " " " S. W.
 55.70 Same " " " S. E.
 78.70 Same " " " S. W.
 78.85 Set post Cor. to Township 8 & 9 North,
 Range 8 & 9 East, from which
 a Beech 15 mi. dia. - bran N 81 W 14 lbr. dist. 9
 a do. 9 " " " S 11 W 17 " "
 Broken land, timber Beech, Ash, Poplar,
 Elm &c. undergth Spice, good Soil

North Boundary

West On S. boundary of Sec. 36, T9 N. R8 E.

73

T8 N. R8 E. 2^d Mer. Indiana

ch. l. l. l.

- 40.00 Set of Sec. post, from which
a Beech 40 in. dia. bray N49 E 9 l. l. dist. of
a Do. 7 " " " N6 W 31 " "
- 67.58 an Elm 25 " "
- 80.00 Set post cor. to Sec. 32 & 33, T9 N. R8 E, from which
a Beech 9 in. dia. bray N59 W 13 l. l. dist. of
an Oak 10 " " " S34 E 25 " "
Flat wet land, timber Beech, Poplar, Ash,
Elm &c. undergth Spruce &c

Met On S. boundary of Sec. 32, T9 N. R8 E.

- 14.00 a Branch 10 l. l. wide Course S.
- 15.80 a Beech 27 in. dia.
- 18.00 a Branch 6 l. l. wide Course S.
- 40.00 Set of Sec. post, from which
an Ash 16 in. dia. bray S25 W 20 l. l. dist. of
a Poplar 6 " " " S30 E 38 " "
- 41.00 enter a Swamp
- 53.00 leave the Swamp
- 61.00 enter a Swamp
- 80.00 Set post cor. to Sec. 31 & 32, T9 N. R8 E, from which
an Ash 6 in. dia. bray N86 W 4 l. l. dist. of
a Maple 6 " " " South 10 " "
Land flat and wet.

Met On S. boundary of Sec. 31, T9 N. R8 E.

- 12.00 leave the Swamp
- 33.50 an Oak 40 in. dia.
- 40.00 Set of Sec. post, from which
a Beech 24 in. dia. bray N61 W 17 l. l. dist. of
a Do. 14 " " " S76 E 11 " "
- 51.16 a W. Oak 50 " "
- 75.50 Intersected Township Corner.
Land timber &c. Same as on the last mile
June 12th 1819

74 T8 N. R8 E. 2^d Mer. Indiana
ch. 1st 1st

West Boundary. var. 6° 45' E.
North On E. boundary of Sec. 36, T8 N. R7 E.
20.00 a Creek 100th. wide Course N.
40.00 At gr. Sec. post, from which
a Beech 36 in. dia. bray N30°W10th. dist. 5
a do. 7 " " " S66°E18 " "
80.00 At post cor. to Sec. 25 & 36, from which
a Beech 21 in. dia. bray N56°E35th. dist. 5
a do. 18 " " " S75°W24 " "
Broken land, soil good, timber Beech, Poplar,
Oak &c. undergth. Spice &c.

North On E. boundary of Sec. 25, T8 N. R7 E.
30.00 a Creek 80th. wide Course S.W. of then S.E.
40.00 At gr. Sec. post, from which
a Beech 6 in. dia. bray N23°W21th. dist. 5
a do. 18 " " " S53°E15 " "
44.00 a Creek 80th. wide Course S.W.
80.00 At post cor. to Sec. 24 & 25, T8 N. R7 E, from which
a Beech 27 in. dia. bray N31°W34th. dist. 5
a do. 9 " " " S60°E10 " "
Broken land, timber Sugar, Beech, Ash,
Elm, Walnut &c. undergth. Spice &c.

North On E. boundary of Sec. 24, T8 N. R7 E.
40.00 At gr. Sec. post, from which
a Beech 36 in. dia. bray N57°E15th. dist. 5
a do. 10 " " " S55°W12 " "
73.00 a Creek 70th. wide Course N.E.
80.00 At post cor. to Sec. 13 & 24, T8 N. R7 E, from which
a Sugar 18 in. dia. bray S52°W27th. dist. 5
a do. 10 " " " N37°W20 " "
Rich land, timber Beech, Sugar, Ash, Poplar,
Walnut &c. undergth. Spice &c.

North On E. boundary of Sec. 13, T8 N. R7 E

T8 N R8 E 2.nd Mer. Indiana

75

ch. lth

- 34.00 a Creek 70 lth. wide Course S. W.
 40.00 Set gr. Sec. post, from which
 a Sugar 10 in. dia. bray S 20 W 37 lth. dist. of
 a do. 10 " " " N 71 E 11 " "
 80.00 Set post cor. to Sec. 12 of 13, T8 S. R7 E. in a creek
 50 lth. wide Course S. W. from which
 a Beech 7 in. dia. bray S 60 W 43 lth. dist. of
 an Ash 18 " " " S 5 E 34 " "
 Land, timber &c. same as on the last mile

North On E. boundary of Sec. 12, T8 S. R7 E.

- 7.00 a Creek 100 lth. wide Course S. E.
 18.00 a Branch 10 " " " N. E.
 28.00 a Same " " " " N. W.
 40.00 Set gr. Sec. post, from which
 a Beech 20 in. dia. bray N 45 E 8 lth. dist. of
 a do. 6 " " " S 40 W 13 " "
 49.00 a Branch 14 lth. wide Course S. W.
 80.00 Set post cor. to Sec. 12 of 13, T8 S. R7 E. from which
 a Beech 13 in. dia. bray S 3 W 14 lth. dist. of
 a do. 6 " " " S 8 E 16 " "
 Land, timber &c. same as on last mile

North On E. boundary of Sec. 1, T8 S. R7 E

- 20.00 a Branch 10 lth. wide Course S. W.
 40.00 Set gr. Sec. post, from which
 a Beech 6 in. dia. bray S 76 E 6 lth. dist. of
 a do. 12 " " " N 42 W 16 " "
 78.92 Set post cor. to Township 8 & 9 North, Range
 7 & 8 East, from which
 an Elm 27 in. dia. bray N 6 W 18 lth. dist. of
 a do. 8 " " " S 56 E 22 " "
 (description of land, timber &c. omitted)

June 6th 1819

John M. McDonald, d. S.

T. S. N. P. & C. 2nd Mer. Indiana
ch. P. 6th

Subdivision. Jan. 8th 1807

North Between Sec. 35 & 36

20.09 a Beech 15 in. diam.

40.00 Set of Sec. post, from which
a Beech 7 in. diam. bay S 36° W 20 lns. dist. of
a do. 7 " " " N 40° E 19 " "

62.59 a Beech 9 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
a Beech 24 in. diam. bay S 55° E 20 lns. dist. of
a do. 18 " " " N 64° W 19 " "
Land level, timber Beech, Sugar, Poplar, Gum
& c. undergth Spruce, (Middling good farming land

East On Rand^m between Sec. 25 & 36

40.00 Set temp^y of Sec. post

80.69 Intersected the E. boundary 50 lns. S. of post
Land level timber same poor farming land

West On true line between Sec. 25 & 36

40.34 Set of Sec. post at average dist. from which
a Beech 24 in. diam. bay N 45° W 12 lns. dist. of
a do. 12 " " " S 29° E 18 " "

80.69 to Sec. Corner. January 9th 1807

North Between Sec. 25 & 26

24.14 a Sugar 15 in. diam.

31.00 a Creek 150 lns. wide Course S. W.

40.00 Set of Sec. post, from which
a Beech 18 in. diam. bay S 72° E 29 lns. dist. of
a Sugar 14 " " " N 76° W 26 " "

61.67 a Beech 5 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
an Elm 6 in. diam. bay N 72° W 13 lns. dist. of
a W. Ash 14 " " " N 81° E 5 " "
Land rolling, timber Beech, Poplar, Sugar
Ash & c. undergth Spruce, (Middling farming land

T8 N R8 E 2nd Mer. Indiana

77

ch. 1st 1/4

East On Rand^m. between Sec^s. 24 & 25

40.00 Let temp^y. of Sec. post

48.50 a creek 100 yds. wide comes S.W.

79.67 Intersected the E. boundary 39 yds. S. of post
Land broken, timber same, hardly (muddling)
farming land.

West On true line between Sec^s. 24 & 25

39.83 Let of Sec. post at average dist. from which
a Beech 20 in. dia. - bay S84 E 34 yds. dist. of
a do. 12 " " " S28 W 11 " "

79.67 to Sec. Corner

North Between Sec^s. 23 & 24

6.41 Intersected Boundary line, let post, from which
a Sugar 15 in. dia. - bay S44 N 32 yds. dist. of
a Beech 14 " " " S80 E 28 " "
Land & timber same

West Between Sec^s. 23 & 26

9.70 Intersected Boundary line, let post, from which
a Beech 5 in. dia. - bay N80 E 29 yds. dist. of
a do. 6 " " " S22 E 27 " "

North Between Sec^s. 34 & 35

20.53 a Beech 10 in. dia.

40.00 Let of Sec. post, from which
a Beech 6 in. dia. - bay S5 N 23 yds. dist. of
a do. 6 " " " N5 E 7 " "

61.36 a do. 18 " "

80.00 let post Cor. to Sec^s. 26, 27, 34 & 35, from which
a Beech 8 in. dia. - bay S80 W 10 yds. dist. of
a do. 20 " " " S62 E 2 " "

Land part rolling & part broken, timber Beech
Poplar, Sugar, ash, Gum, Oak &c under ofth
Spruce & greenbrier, Muddling farming land

78 N. R 8 E. 2nd Mer. Indiana

ch. 2nd lth
East On Rand^m. between Sec^s. 26 & 35

31.00 a Creek 100 lths. wide Course S. W.

40.00 Set temp^y. of Sec. post

79.60 Intersected the N & S. line 10 lths. S. of post
Land rolling timber same, good farming land

West On true line between Sec^s. 26 & 35

39.80 Set of Sec. post at average dist. from which
a Beech 30 in. dia. bray S 52 E 40 lths. dist. of
a Do. 17 " " " N 38 W 16 " "

79.60 to Sec. Corner.

North Between Sec^s. 26 & 27

32.70 Intersected Boundary, Set post. from which
a Beech 10 in. dia. bray S 30 W 36 lths. dist. of
a Do. 10 " " " N 42 E 7 " "

Land level, timber Beech, Poplar, Maple.
Lum, Oak &c., poor farming land

West Between Sec^s. 27 & 34

24.91 a Beech 10 in. dia.

40.00 Set of Sec. post, from which
a Sugar 9 in. dia. bray S 52 W 8 lths. dist. of
a W. Ash 8 " " " N 9 E 27 " "

47.10 Intersected Boundary, Set post. from which
a Beech 12 in. dia. bray S 37 W 18 lths. dist. of
a Poplar 10 " " " N 23 E 19 " "
Land timber &c. Same as last mile

North Between Sec^s. 33 & 34

20.50 a Beech 12 in. dia.

40.00 Set of Sec. post. from which
a Beech 9 in. dia. bray S 18 W 39 lths. dist. of
a Sugar 15 " " " N 58 E 20 " "

60.50 Intersected Boundary, Set post. from which
a Sugar 5 in. dia. bray S 59 E 23 lths. dist. of

79
T8 N R8 E. 2nd Mer. Indiana
ch. P. 1st

a Poplar 48 mi. dist. from 144 W 47 km. dist. of
Land Creek, timber Beech, Poplar, Ash, Gum &c
poor farming land.

North Between Sec. 32 & 33

8.38 Intersected Boundary, let post, from which
a Beech 15 mi. dist. from 110 E 15 km. dist. of
a Do 27 " " " N 59 E 18 " "
Variation of the Compass 5° 40' E.
Surveyed in 1807 by
William Harris, L.S.

In the New Purchase var. 6° 30' E.
North Between Sec. 23 & 24 (from post on boundary)

12.50 a Beech 12 mi. dist. from
33.59 let q^r. Sec. post from which
a Beech 16 mi. dist. from North 9 km. dist. of
a Do. 12 " " " " N 11 W 12 " "
58.59 a Sycamore 36 " "
73.59 let post Cor. to Sec. 23, 24, 13 & 14, from which
a Beech 12 mi. dist. from 123 W 6 km. dist. of
a Do. 18 " " " " N 54 E 22 " "
Ailly 3rd rate land Beech, Oak &c. undergrowth
dogwood &c

East On Rand. between Sec. 13 & 24

40.00 let temp. q^r. Sec. post
75.00 Crossed Land Creek 100 km. wide Course S.
80.44 Intersected the E. boundary 35 km. S. of post
Ailly 5th rate land, Beech, Oak, Poplar &c
undergth dogwood Spruce &c.

West Corrected between Sec. 13 & 24

5.44 to Land Creek. S.
40.22 let q^r. Sec. post at average dist. from which
a Beech 10 mi. dist. from 133 E 17 km. dist. of

80

S 8 N R 8 E 2^d Mer. Indianach. P. 1st

a Beech 30 in. dia. bray N 35 W 25 lns. dist.
80.44 to Sec. Corner.

North Between Sec. 13 & 14

24.90 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bray S 69 W 15 lns. dist. &
a Do. 18 " " " N 46 E 14 " "

50.00 enter fallen timber

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Poplar 48 in. dia. bray N 45 W 7 lns. dist. &
a Beech 10 " " " S 72 E 47 " "
Level 3^d rate land, Beech, Oak, Hickory &c.
windingth Dogwood.

East On R. 8^m between Sec. 12 & 13

40.00 Set temp. gr. Sec. post

80.90 Intersected the E. boundary 60 lns. S. of post
Hilly, 3^d rate, very brushy. Almost the whole
distance through fallen timber

West Cor. to Sec. 12 & 13

40.45 Set gr. Sec. post at average dist. from which
a Beech 4 in. dia. bray S 10 E 40 lns. dist. &
a Dogw. 4 " " " N 20 E 11 " "

80.96 to Corner

North Between Sec. 11 & 12

20.00 left fallen timber

26.25 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bray S 23 W 11 lns. dist. &
a Do. 10 " " " N 11 E 19 " "

65.30 a Poplar 48 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 11 in. dia. bray S 87 E 8 lns. dist. &

81

38th N 8 E 2^d Mer. Indiana
ch. lth.

a Beech 12 in. dia. bray N 30 W 20 lth. dist. of
Broken 3^d rate land, Beech, Oak, Poplar &c.
windingth dogwood & spice &c.

East On/ Rand^m between Sec. 1 & 2

40.00 Let temp^y. q^r. Sec. post

80.96 Intersected the N of S. line 113 lth. S. of post
Broken 3^d rate land Red Oak, Beech, Poplar
&c. windingth dogwood, Beech &c.

West Corrected between Sec. 1 & 2

40.48 Let q^r. Sec. post at average dist. from which
a Beech 12 in. dia. bray N 71 E 20 lth. dist. of
a do. 10 " " " N 63 W 8 " "
80.96 to Sec. Corner.

North Between Sec. 1 & 2

19.75 a Beech 16 in. dia.

24.00 Crossed Wyalosing Cr. 25 lth. wide Cr. S 30 W.

40.00 Let q^r. Sec. post, from which

a Beech 24 in. dia. bray N 33 E 32 lth. dist. of

a do. 30 " " " N 32 W 15 " "

62.40 a Fr. Ash 24 " "

79.68 Intersected N. boundary 350 E. of post

Let post Cor. to Sec. 1 & 2, from which

a Poplar 60 in. dia. bray N 31 W 9 lth. dist. of

a Beech 12 " " " N 4 W 26 " "

Rolling 2^d rate land, Beech, Oak, Poplar
&c. windingth Spice

North Between Sec. 26 & 27, (from old boundary line)

7.30 Let q^r. Sec. post, from which

a Beech 16 in. dia. bray N 83 W 19 lth. dist. of

a do. 12 " " " N 79 E 15 " "

33.45 a Maple 16 " "

47.30 Let post Cor. to Sec. 22, 23, 26 & 27, from which

S. N. R. & E. 2nd Mer. Indiana

ch. 2nd Mer.

a Beech 36 in. dia. br. 10. 112 1/2 lbs. dist. 1/2
a do. 15 " " " N 11 E 43 " "
Flat wetland, Beech, Maple, Hickory, Oak
&c. under 1st Beech &c

East 1st Land^m. between Sec. 23 & 26

40.00 Set temp. q. Sec. post

72.08 Intersected Boundary line at post

81.78 Intersected N & S. line

Level 3rd rate land, Beech, Oak &c.
under 1st Dogwood

West Corrected between Sec. 23 & 26

40.89 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. br. 18 1/2 22 lbs. dist. 1/2
a do. 15 " " " N 20 W 13 " "

81.78 to Sec. Corner.

North Between Sec. 22 & 23

38.75 a Beech 12 in. dia.

40.00 Set q. Sec. post, from which
a Beech 15 in. dia. br. 21 1/2 14 lbs. dist. 1/2
a do. 15 " " " North 14 " "

60.00 enter fallen timber

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
a Dogwood 4 in. dia. br. 12 E 12 lbs. dist. 1/2
a Hornbeam 4 " " " N 12 E 8 " "
Hilly 3rd rate land, Beech, Oak, Hickory
&c. under 1st Dogwood &c.

East On 1st Land^m. between Sec. 14 & 23

40.00 Set temp. q. Sec. post

81.60 Intersected the N & S. line 120 lbs. N. of post

Hilly 3rd rate land, Brushy, through
fallen timber

83

T. S. N. R. & E. 2. Mer. Indiana

ch. 2. 1/2

Met On true line between Sec. 14 & 23

40.30 Set of Sec. post at average distance in a
thicket no bearing trees

80.60 to Sec. Corner

North Between Sec. 14 & 15

12.00 leave fallen timber

21.78 a Poplar 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bear 170 E 28 N. dist. of
a Do. 12 " " " East 23 " "

67.00 a Poplar 60 " "

80.00 Set post Cor to Sec. 10, 11, 14 & 15, from which
a Poplar 6 in. dia. bear 180 E 6 N. dist. of
a Sugar 12 " " " West 14 " "
Rolling 2nd rate land, Beech, Poplar, Sugar &c.
undergth Spruce &c.

East On On Rand^m. between Sec. 11 & 14

40.00 Left temp^y. of Sec. post

80.72 Intersected the N & S. line 150 Yds. N. of post
Rolling 2nd rate land, Beech, Oak, Sugar, Poplar
&c. undergth Spruce

Met On true line between Sec. 11 & 14

40.36 Set of Sec. post at average dist. from which
a Beech 12 in. dia. bear 120 E 9 N. dist. of
a Sugar 8 " " " N 30 E 27 " "

80.72 to Sec. Corner.

North Between Sec. 10 & 11

33.52 a Beech 15 in. dia.

37.00 crossed Nyalosong Cr. runs S. W.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bear 138 W 8 N. dist. of
a Beech 36 " " " N 62 E 17 " "

84

T8N R8E T^h. Mer. Indiana

ch. 1/2 hr.

70.10 a Beech 10 in. dia.

80.00 Let post cor. to Sec. 2, 3, 10 & 11, from which
 a Sugar 30 in. dia. bear N 65 E 38 lns. dist. of
 a Beech 15 " " " N 53 W 17 " "
 Rolling 2nd rate land, Beech, Poplar, Sugar
 & windingth Spruce

East On Land^m between Sec. 2 & 11

40.00 Let temp. q. Sec. post

70.00 Crossed Wyalosing Cr. 30 lns. wide S. M.

80.52 Intersected the S. line 200 lns. North of
 post. Rolling 2nd rate land, Beech, Oak,
 Sugar, Poplar &c

West Cornetted between Sec. 2 & 11

40.26 Let q. Sec. post at average dist. from which
 a Beech 36 in. dia. bear N 50 E 14 lns. dist. of
 a Sugar 8 " " " N 45 W 12 " "
 80.52 to Sec. Corner.

North Between Sec. 2 & 3

22.33 a Beech 20 in. dia.

40.00 Let q. Sec. post, from which
 a Hickory 15 in. dia. bear N 80 E 10 lns. dist. of
 a Beech 12 " " " N 40 W 18 " "

54.60 a Poplar 48 " "

77.25 Intersected N. boundary 346 lns. E. of post
 Let post Cor. to Sec. 2 & 3 from which
 a Poplar 30 in. dia. bear N 55 E 24 lns. dist. of
 a Beech 12 " " " N 70 W 13 " "
 Rolling 2nd rate land, timber Beech, Poplar
 Sugar &c. windingth Spruce, November 19th 1879

North Between Sec. 33 & 34 (from old boundary line)

19.50 Let post Cor. to Sec. 27, 28, 33 & 34, from which
 a W. Elm 12 in. dia. bear S 56 E 9 lns. dist. of

85

N 8 N P 8 E. 2^d Mer. Indiana
ch. P. 1st
a Beech 20 in. diam. bran N 37 W 23 lks. dist. &
Level 3^d. rate land, Beech, Poplar, Hickory

East On Randm. between Sec. 27 & 34
31.00 Intersected Boundary line at Corner
Broken 3^d. rate land Beech, Hickory &c

North Between Sec. 27 & 28
24.00 a W. Oak 15 in. diam.
40.00 Set of Sec. post from which
a Beech 10 in. diam. bran N 40 E 15 lks. dist. &
a do. 15 " " " N 27 W 17 " "
69.21 a Beech 12 " "
80.00 Set post Cor. to Sec. 21, 22, 27, 28, from which
a Beech 4 in. diam. bran N 35 E 21 lks. dist. &
a do. 10 " " " N 10 E 7 " "
Level 3^d. rate land Beech, Oak, Hickory &
undergth. Spruce.

East On Randm. between Sec. 22 & 27
40.00 Set temp^y of Sec. post
80.10 Intersected the N & S. ^{line} 75 lks. S. of post
Broken 3^d. rate land Beech, Oak, Poplar &c.
undergth. Dogwood &c.

West Corrected between Sec. 22 & 27
40.05 Set of Sec. post at average dist. from which
a Beech 8 in. diam. bran N 85 W 7 lks. dist. &
a do. 24 " " " N 65 E 27 " "
80.10 to Sec. Corner

North Between Sec. 21 & 22
20.73 a Beech 18 in. diam.
40.00 Set of Sec. post, from which
a Beech 30 in. diam. bran N 46 E 25 lks. dist. &
a do. 30 " " " N 30 W 36 " "

S. N. R. E. 2nd Mer. Indiana

ch. l. l. h.

- 50.00 Crossed Myaloosing 30 l. m. wide Course S 40° W
 55.38 a Red Oak 30 m. dist.
 80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 4 m. dist. bearing S 30° E 19 l. m. dist. of
 a dlo. 15 " " " N 21° W 33 " "
 Broken 2nd rate land, Beech, Poplar, Oak
 Sugar &c. undergth Spruce &c.
-

East On Land^m between Sec. 15 & 22

- 30.50 Crossed Myaloosing
 40.00 Let temp. q. Sec. post
 80.72 intersected the st of S. line 115 l. m. S. of post
 Hilly 3rd rate land, Beech, Poplar, Oak &c.
 undergth Dogwood Spruce &c.
-

West Corrected between Sec. 15 & 22

- 40.36 Let q. Sec. post at average dist. from which
 a Hornbeam 4 m. dist. bearing North 3 l. m. dist. of
 a Sugar 3 " " " N 48° W 17 " "
 80.72 to Sec. Corner.
-

North Between Sec. 15 & 16

- 20.00 enter fallen timber
 22.50 a Sugar 12 m. dist.
 37.50 leave fallen timber
 40.00 Let q. Sec. post, from which
 a Beech 30 m. dist. bearing N 18° E 16 l. m. dist. of
 a dlo. 6 " " " S 77° W 21 " "
 68.90 a dlo 10 " " " S 73° W 26 " "
 80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 10 m. dist. bearing N 47° E 5 l. m. dist. of
 a dlo. 6 " " " S 73° W 26 " "
 Rolling 2nd rate land, Beech, Poplar, Sugar &c.
 Ash, undergth Spruce
-

East On Land^m between Sec. 10 & 15

87

S&N N&E 2.nd Mer. Indiana

ch. 16th

- 40.00 Set temp. of Sec. post
 73.50 Crossed Myaloosing br. run, S.
 80.50 Intersected the St of S. line 100 lms. S. of post
 Level 2.nd rate land, Beech, Poplar, Ash, Sugar
 &c. undergth Spruce
-

- Most Corrected between Sec. 10 & 15
 40.25 Set of Sec. post, at average dist. from which
 a Beech 4 in. dia. bear S 85° W 8 lms. dist. of
 a Do. 10 " " " East 8 " "
 80.50 to Sec. Corner.
-

- North Between Sec. 9 & 10
 22.50 a Sugar 18 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 10 in. dia. bear N 77° W 14 lms. dist. of
 a Do. 12 " " " S 29° E 20 " "
 63.05 a Beech 20 " "
 80.00 Set post cor. to Sec. 3, 4, 9 & 10, from which
 a N. Ash 30 in. dia. bear North 10 lms. dist. of
 a Beech 18 " " " S 7° W 32 " "
 Level 2.nd rate land, Beech, Ash, Sugar, Poplar
 &c. undergth Spruce
-

- East On Rand^m. between Sec. 3 & 10
 40.00 Set temp. of Sec. post
 80.66 Intersected the St of S. line 150 lms. S. of post
 Level 2.nd rate land, Beech, Poplar, Sugar
 Hickory &c. undergth Spruce.
-

- Most Corrected between Sec. 3 & 10
 40.33 Set of Sec. post at average dist. from which
 a Lym 24 in. dia. bear S 36° E 30 lms. dist. of
 a Beech 20 " " " N 73° W 28 " "
 80.66 to Sec. Corner
-

S. N. R. & E. 2^d. Mer. Indianach. 11th

North Between Secs. 3 & 4

40.00 Set of Sec. post, from which
 a Poplar 60 in. dia. bray N 48° W 11th br. dist. of
 a Beech 10 " " " N 32° E 14 " "

60.17 a W. Ash 16 " "

77.87 Intersected N. boundary 235th br. E. of post
 at post Cor. to Secs. 3 & 4, from which
 a W. Ash 12 in. dia. bray East 11th br. dist. of
 a Beech 4 " " " S 38° W 8 " "
 Level 2^d. rate land, Beech, Ash, Poplar
 Sugar &c. undergth. Spruce &c

North Between Secs. 32 & 33, (from old boundary line)

18.00 a Beech 20 in. dia.

31.62 Set of Sec. post, from which
 a Sugar 12 in. dia. bray S 50° W 12th br. dist. of
 a Beech 12 " " " N 21° E 14 " "

56.60 a Do 14 " "

71.62 Set post Cor. to Secs. 28, 29, 32 & 33, from which
 a Beech 6 in. dia. bray East 6th br. dist. of
 a Do. 5 " " " West 15 " "
 Flat wet land, Beech, Oak, Maple, Hickory &c.

East On Landth. between Secs. 28 & 33

40.00 Set temp. of Sec. post

80.70 Intersected the N. & S. line 16th br. S. of post
 Level wet land, 3^d. rate, Beech, Oak, Hickory
 undergth. Dogwood &c.

West Cor. between Secs. 28 & 33

40.35 Set of Sec. post at average dist. from which
 a Beech 12 in. dia. bray N 40° W 14th br. dist. of
 a Do. 10 " " " S 35° E 11 " "

80.70 to Sec. Corner.

North Between Secs. 28 & 29

S. N. R. & E. T. Mer. Indiana ⁸⁹

ch. 1. 1/2

21.10 a Beech 15 mi. dist.

40.00 Set gr. Sec. post, from which
a Sugar 12 mi. dist. bray S 39 E 24 km. dist. of
a No. 12 " " " S 72 W 15 " "

43.50 Crossed Myaloozing Cr. runs S. W.

63.61 a Beech 16 mi. dist.

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 10 mi. dist. bray N 40 E 10 km. dist. of
a W. Oak 36 " " " S 52 E 26 " "
Broken 2nd rate land, Beech, Sugar, Oak &c
undergth Spruce &c.

East On Rand^m. between Sec. 21 & 28

40.00 Set temp. gr. Sec. post

40.10 Crossed Myaloozing Cr. runs South

80.50 Intersected the N & S line 150 km. S. of post
Broken 2nd rate land, Beech, Oak, Poplar
Sugar &c. undergth Spruce &c

West Corrected between Sec. 21 & 28

40.25 Set gr. Sec. post at average dist. from which
a W. Oak 20 mi. dist. bray N 10 W 25 km. dist. of
an Ironwood 6 " " " N 15 E 20 " "

80.50 to Sec. Corner

North Between Sec. 20 & 21

29.90 a Beech 15 mi. dist.

40.00 Set gr. Sec. post, from which
a Beech 11 mi. dist. bray S 81 E 3 km. dist. of
a W. Ash 28 " " " N 78 W 24 " "

61.04 a Beech 18 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Hornbeam 6 mi. dist. bray S 36 W 14 km. dist. of
a Beech 12 " " " N 10 E 31 " "
Rolling 2nd rate land, Beech, Ash, Sugar
Poplar &c. undergth Spruce &c.

90 T & N V & E. D.rd Mer. Indiana

ch. lth.

East On Rand^m. between Sec. 16 & 21

40.00 Set temp^y. q^r. Sec. post

80.38 Intersected N & S. line 90 lth. S. of post
Level 2nd rate land, Beech, Ash, Poplar &c.
underg^m, Spruce &c.

West Connected between Sec. 16 & 21

40.19 Set q^r. Sec. post at average dist. from which
a Beech 15 mi. dist. bear N 40 E 28 lth. dist. of
a do. 30 " " " N 20 W 15 " "

80.38 to Sec. Corner.

North Between Sec. 16 & 17

27.70 a Beech 30 mi. dist.

40.00 Set q^r. Sec. post, from which
a Beech 40 mi. dist. bear N 70 W 18 lth. dist. of
a do. 12 " " " N 70 E 21 " "

68.00 a do 24 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 30 mi. dist. bear N 73 W 6 lth. dist. of
a do. 16 " " " N 60 E 25 " "
Level 3rd rate Beech land

East On Rand^m. between Sec. 9 & 16

40.00 Set temp^y. q^r. Sec. post

80.58 Intersected N & S. line 80 lth. S. of post
Level 3rd rate Beech land, underg^m.
Beech, Hornbeam &c.

West Connected between Sec. 9 & 16

40.29 Set q^r. Sec. post at average dist. from which
a Beech 15 mi. dist. bear S 50 E 10 lth. dist. of
a do. 12 " " " N 74 W 6 " "

80.58 to Sec. Corner

North Between Sec. 8 & 9

78 N. R 8 E. 2nd. Mer. Indiana 91

ch. 2nd lth

24.70 a N. Elm 30 in. dia.

40.00 Set of Sec. post, from which a
Sugar 15 in. dia. bear N 32 E 14 lth. dist. of
a Beech 8 " " " West 2 " "

59.38 a Poplar 60 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9; from which
a Beech 12 in. dia. bear South 28 lth. dist. of
a R. Oak 50 " " " N 30 E 13 " "
Level 2nd. rate land, Beech, Oak, Sugar,
Poplar &c. undergth. Spruce

East On Rand^m. between Sec. 4 & 9

40.00 Set temp^y. of Sec. post

80.72 Intersected the N & S. line 100 lth. S. of post
Level 2nd. rate land, Beech, Poplar, Ash
Elm, &c. undergth. Spruce &c.

West Corrected between Sec. 4 & 9

40.36 Set of Sec. post at average dist. from which
a Beech 30 in. dia. bear West 30 lth. dist. of
a N. Elm 12 " " " N 70 E 12 " "

80.72 to Sec. Corner.

North Between Sec. 4 & 5

29.60 a Poplar 50 in. dia.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bear South 23 lth. dist. of
a Do. 34 " " " N 21 E 31 " "

62.00 a P. Walnut 18 in. dia.

77.64 Intersected N. boundary 246 lth. E. of post
Set post Cor. to Sec. 4 & 5, from which
a P. Oak 18 in. dia. bear 70 E 12 lth. dist. of
a Beech 15 " " " N 30 E 26 " "
Level 2nd. rate land, Beech, Oak, Oak
Poplar &c., undergth. Spruce &c.

93

St. R & E. T. Mer. Indiana
ch. lks.
Hilly 3rd rate land, Beech, Oak, Poplar &
undergth Dogwood, Spruce, &c.

East On Road^m between Sec. 20 & 29

40.00 Set temp^y of Sec. post

81.30 Intersected the st of S. line 80 lks. S. of
post. Hilly 3rd rate land, Beech, Gum, Oak,
Poplar, &c. very brushy, undergth Dogw? Beech &c.

West Corrected between Sec. 20 & 29

40.65 Set of Sec. post, at average dist. from which
no bearing tree could be taken - cor. in thicket

81.30 to Sec. Corner.

North Between Sec. 19 & 20

38.00 enter fallen timber

40.00 Set of Sec. post, from which
a Beech 12 in. dia. bears N 37° 11 lks. dist. of
a W. Ash 18 " " " N 81 E 5 " "

56.00 a Beech 30 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Poplar 60 in. dia. bears West 5 lks. dist. of
a Beech 18 " " " N 64 E 7 " "
Broken 3rd rate land, Beech, Oak, Hickory
&c. undergth Dogwood, Spruce &c.

East On Road^m between Sec. 17 & 20

40.00 Set of Sec. post temporarily

81.47 Intersected st of S. line 115 lks. S. of post
Rolling 2nd rate land, Beech, Ash, Oak,
Poplar &c. undergth Spruce &c.

West Corrected between Sec. 17 & 20

40.73 Set of Sec. post at average dist. from which
a Beech 10 in. dia. bears N 70° 11 lks. dist. of
a do. 12 " " " N 19 E 34 " "

94 S & N R & E 2nd Mer. Indiana
ch. 1st 1/4
81.47 to Sec. Corner

North Between Sec. 17 & 18

23.50 a Sugar 12 mi. dist.

40.00 Set of Sec. post, from which
a Poplar 48 mi. dist. bear South 22 mi. dist. of
a Beech 11 " " " N 29 E 33 " "

55.10 a Gum 18 " "

80.00 At post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 15 mi. dist. bear S 89 W 27 mi. dist. of

a Do. 8 " " " N 5 E 33 " "
Flat wet land, Beech, Hickory, ash, Gum
fe. undugth. Spruce &c

East On Rand^m. between Sec. 8 & 17

40.00 Set temp. of Sec. post

81.36 Intersected N & S line 154 mi. S. of post
Level 2nd. Rate land, Beech, Sugar, ash,
Poplar, Hickory &c. undugth. Spruce

West Connected between Sec. 8 & 17

40.63 Set of Sec. post at average dist. from which
a Beech 10 mi. dist. bear N 13 W 19 mi. dist. of
a Do. 8 " " " N 14 E 21 " "

81.36 to Sec. Corner.

North Between Sec. 7 & 8

17.60 a Bur Oak 20 mi. dist.

40.00 Set of Sec. post, from which
a W. Ash 18 mi. dist. bear South 25 mi. dist. of
a Beech 12 " " " N 63 E 24 " "

63.40 a Do 12 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Bur Oak 16 mi. dist. bear S 46 E 11 mi. dist. of
a Beech 8 " " " N 67 W 5 " "

Level 2nd. Rate land Beech, Ash, Poplar, Oak &c

95

T8 N. R8 E. Tⁿ. Mer. Indiana
ch. l^y
undergth. Spruce &c

East On/Can^m. between Sec^s. 5 & 8
40.00 Set temp^t. of Sec. post
81.70 Intersected the N of S. line 136 l^y. S. of post
Level 2^d. rate land, Beech, Ash, Poplar &c.
undergth. Spruce &c.

West Corner between Sec^s. 5 & 8
40.85 Set of Sec. post at average dist^s, from which
a Beech 12 in. dia^r. Bray 4 E 6 l^y. dist. of
a do. 11 " " " N 30 W 11 " "
81.70 to Sec. Corner.

North Between Sec^s. 5 & 6
24.08 a W. Ash 30 in. dia^r.
40.00 Set of Sec. post, from which
a W. Ash 12 in. dia^r. Bray 182 W 20 l^y. dist. of
a Sugar 6 " " " N 67 E 26 " "
57.85 a Beech 30 " "
77.69 Intersected N. boundary 167 l^y. E. of post
Set post Cor. to Sec^s. 5 & 6, from which
a W. Elm 12 in. dia^r. Bray 187 E 8 l^y. dist. of
a Willow 5 " " " 188 W 20 " "
Flat wet land, Beech, Ash, Hickory, W. Elm
&c. undergth. Spruce &c

West Between Sec^s. 6 & 7
16.00 a W. Ash 20 in. dia^r.
40.00 Set of Sec. post, from which
a Beech 12 in. dia^r. Bray 173 W 18 l^y. dist. of
a do. 10 " " " N 54 E 8 " "
56.18 a Beech 20 " "
76.90 Intersected W. boundary 52 l^y. N. of post
Set post Cor. to Sec^s. 6 & 7, from which
a Beech 24 in. dia^r. Bray 116 W. 15 l^y. dist. of

T8 N. R8 E. 2^d. Mer. Indiana

ch. lth.

a W. Elm 15 in. diam. bray N42 E 41 lth. dist. of
Level (with land, Beech, Hickory, Gum &c.
undergth Spruce &c.

West Between Sec. 7 of 18

24.50 a Beech 12 in. diam.

40.00 Let of Sec. post, from which
a Beech 30 in. diam. bray N40 E 18 lth. dist. of
a Do. 8 " " " S57 N 18 " "

58.64 a Beech 16 " "

76.00 Intersected N. boundary 48 lth. N. of post
Let post Cor. to Sec. 7 of 18, from which
a W. Elm 18 in. diam. bray N57 E 15 lth. dist. of
a Sycamore 36 " " " N77 E 2 " "
Level 2^d. (with land, Beech, Sugar, Ash,
Poplar &c. undergth Spruce

West Between Sec. 18 of 19, T8 N. R8 E.

20.20 a Beech 20 in. diam.

40.00 Let of Sec. post, from which
a Beech 8 in. diam. bray S35 N 21 lth. dist. of
a Do. 6 " " " S23 E 16 " "

59.86 a Sugar 16 " "

76.25 Intersected West, Boundary 80 lth. S. of post
a Sugar 16 in. diam. bray North 12 lth. dist. of
a Do. 12 " " " S84 N 23 " "
Bearings for Sec. 18 of 19, on N. boundary
Rolling 2^d. (with land, Beech, Poplar, Sugar
&c. undergth Spruce &c.

West Between Sec. 19 of 30

17.30 a Beech 12 in. diam.

40.00 Let of Sec. post, from which
a Beech 18 in. diam. bray N10 E 11 lth. dist. of
a Do. 14 " " " S30 E 23 " "

61.30 a Beech 10 " "

97

T8 N. R8 E. 2nd Mer. Indiana

ch. lks

65.00 Crossed Bear Creek runs S. W
 76.19 Intersected N. boundary 62 lks. S. of post
 Set post Cor. to Sec. 19 & 30, from which
 a Beech 12 in. diam. bears N 71 3/4 E 13 lks. dist. of
 a do. 8 " " " N 38 E 17 " "
 Broken 3rd rate land, Beech, Oak, Hickory &c.
 undergth. Spice &c

West Between Sec. 30 & 31

16.76 a Poplar 60 in. diam.

40.00 Set of Sec. post, from which
 a Beech 30 in. diam. bears North link dist. of
 a do. 16 " " " N 14 W 25 " "

60.26 a Poplar 48 " "

76.09 Intersected N. Boundary 127 lks. S. of post
 Set post Cor. to Sec. 30 & 31, from which
 a Beech 20 in. diam. bears N 14 E 16 lks. dist. of
 a do. 18 " " " N 26 E 37 " "
 Shilly 3rd rate land, Beech, Poplar, Hickory &c.
 undergth. Beech, Dogwood &c.

November 22nd 1849

Rethuel F. Morris
 Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes
 of Township N. 8 N, Range N. 8 E, 2nd Mer. Indiana,
 has been compared with Original in this Office,
 and found to be correct.

Surveyor General's Office
 Cincinnati, Sept. 24. 1848

William Johnston
 Sur. Gen.